






Hochdruckpumpen NP / P

(1/2)

SPECK-Hochdruckpumpen






	Pumpentyp	Art. Nr.	Fördermenge max. l/min.	Druck max. bar	Drehzahl min ⁻¹	kW
 NP10	NP10/1-170	0.7133	1.2	170	1450	0.5
	NP10/2-170	0.7134	2.3	170	1450	1.1
	NP10/4-150	0.7135	3.4	150	1450	1.0
	NP10/7-150	0.7136	7.2	150	1450	2.1
	NP10/10-150	0.7137	10.6	150	1450	3.3
	NP10/13-150	0.7138	13.1	150	1450	4.0
	NP10/15-150	0.7139	14.6	150	1450	4.6
	NP16/13-280	0.4939	14.1	280	1725	7.8
	NP16/13-220*	0.5316	14.4	220	3450	6.2
	NP16/14-210*	0.5089	13.9	210	1800	5.8
 NP16	NP16/15-210	0.5090	15.0	210	1450	6.2
	NP16/18-140	0.5091	18.3	140	1450	5.0
	NP16/21-140	0.5092	20.8	140	1450	5.7
	NP25/20-500	0.5998	19.9	500	1450	19.5
	NP25/24-400	0.6001	23.9	400	1450	18.8
	NP25/21-300**	0.6155	20.8	300	1450	12.3
	NP25/21-350Bz	0.6537	20.8	350	1450	14.3
	NP25/22-300**	0.6711	22.0	300	1725	13.0
	NP25/22-350Bz	0.5742	22.0	350	1725	15.2
	NP25/25-25	0.6154	25.0	250	1450	12.4
 NP25/70	NP25/30-200	0.6153	31.1	200	1450	12.2
	NP25/30-280	0.6735	31.1	280	1450	17.1
	NP25/38-180	0.6152	37.3	180	1450	13.2
	NP25/38-280	0.6715	37.3	280	1450	20.6
	NP25/41-170	0.6151	40.4	170	1450	13.5
	NP25/41-210	0.6736	40.6	210	1450	16.8
	NP25/50-150	0.6150	48.4	150	1450	14.3
	NP25/50-210	0.6716	48.8	210	1450	20.2
	NP25/54-200	0.6934	54.0	200	1450	20.7
	NP25/60-140	0.6580	59.5	140	1450	16.3
 P11	NP25/70-140	0.6158	69.7	140	1450	19.2
	NP30/90-150	0.7016	86.0	150	1450	26.3
	NP30/100-120	0.6917	100.0	120	1450	23.6
	NP30/125-120	0.7100	125.0	120	1450	29.5
	NP30/140-100	0.7020	134.0	100	1450	26.3
	NP30/140-100G	0.6918	134.0	100	1450	26.3
	P11/3-200	0.4100	3.1	200	1420	1.3
	P11/5-200	0.0769	4.7	200	1420	1.9
	P11/10-100	0.1308	10.2	150	1420	3.1
	P11/13-100	0.0902	12.7	150	1420	3.9
 P21	P11/15-150	0.1297	14.7	150	1420	4.5
	P21/5-450	0.2187	5.1	450	1420	4.7
	P21/7-400	0.2203	6.8	400	1420	5.6
	P21/15-160	0.0543	14.7	160	1420	4.6
	P21/16-200	0.0866	15.1	200	1450	5.9
	P21/18-130	0.0555	18.1	130	1420	4.6
	P21/19-160	0.6771	18.9	160	1450	6.0
P21/23-130	0.0579	23.1	130	1420	5.9	

* für Verbrennungsmotor / ** für Aussetzbetrieb bis 350 bar

Änderungen vorbehalten

Hochdruckpumpen NP / P

(2/2)

	Pumpentyp	Art. Nr.	Fördermenge max. l/min.	Druck max. bar	Drehzahl min ⁻¹	kW
 P22	P22/21-240	0.5788	19.0	240	1450	9.0
	P22/28-130	0.4767	28.3	130	1450	7.5
	P22/28-100	0.3449	28.3	100	1450	5.8
	P30/36-150	0.0741	36.2	150	1420	11.0
	P30/43-130	0.0742	42.5	130	1420	11.0
	P31/25-220	0.0559	25.2	220	1420	11.0
	P41/33-250	0.1001	33.8	250	1450	17.2
	P41/48-180	0.1000	48.6	180	1450	17.9
 P41	P41/51-130	0.0999	51.2	130	1100	13.6
	P41/58-110	0.0998	58.2	110	1100	13.1
	P41/70-110	0.6364	67.7	110	1100	15.2
	P45/37-400	0.5975	37.0	400	1000	30.2
	P45/46-320	0.5444	46.0	320	1000	30.1
	P45/60-250	0.4012	57.0	250	1000	29.1
	P45/75-180	0.3958	74.5	180	1000	27.4
	P45/85-160	0.3948	85.5	160	1000	27.9
	P45/120-80	0.5593	123.1	80	1000	20.1
	P50/94-110	0.0458	93.8	110	800	20.3
	P51/135-90 (Bz)	0.5088	134.1	90	800	23.8
 P50	P52/12-1000	0.4471	12.8	1000	1000	26.2
	P52/17-800	0.5168	17.5	800	1000	28.5
	P52/22-600	0.5169	22.8	600	1000	27.9
	P52/30-500 (MS)	0.4741	30.0	500	1000	29.5
	P52/37-400	0.4046	37.0	400	1000	30.2
	P52/40-400MS	0.6067	40.0	400	1080	31.5
	P52/40-420	0.6943	40.0	420	1100	33.1
	P52/54-270	0.4298	53.6	270	1000	28.3
	P52/60-280	0.6940	60.0	280	110	33.1
	P52/72-200	0.4262	72.2	200	1000	28.4
 P52	P52/100-150	0.3974	98.3	150	1000	29.7
	P52/120-120	0.4263	123.1	120	1000	29.1
	P55/18-1200	0.6614	18.3	120	1000	42.5
	P55/21-1000	0.6106	20.9	1000	850	41.6
	P55/26-800	0.6258	26.6	800	1050	42.4
	P55/40-600	0.6892	40.0	600	1000	47.2
	P55/45-500	0.6891	45.0	500	930	44.0
	P55/50-400	0.6630	50.0	400	850	40.1
	P55/80-280G	0.6698	78.0	280	1000	41.8
	P55/100-200G	0.4693	104.9	200	1000	42.8
 P55	P55/128-160G	0.4365	127.8	160	910	41.8
	P55/150-130G	0.6251	153.0	130	800	40.6
	P55/165-100G	0.4226	164.6	100	750	33.6
	P62/50-420R	0.6814	48.5	420	800	42.4
	P62/70-300	0.6815	68.1	300	800	41.7
	P62/90-210	0.5138	88.9	210	800	36.8
	P62/140-150	0.5137	130.0	150	800	41.0
	P62/175-120	0.5136	175.9	120	800	41.6